

Appl. No.: 09/802,476  
Amdt. Dated: 11/3/04  
Off. Act. Dated: 08/03/04

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (original): A method of multicast communication within an ad hoc broadcast network, comprising:  
defining a shared multicast mesh of routers for each multicast group wherein multiple paths are established between any two routers; and  
forwarding packets from a source connected within the multicast mesh of the group along the reverse shortest path to the receiver.
2. (original): A method as recited in claim 1, wherein said routers are configured to accept unique packets being received from any neighboring router within the multicast mesh.
3. (original): A method as recited in claim 1, wherein said routers maintain the mapping of reverse shortest path to the receivers.
4. (original): A method as recited in claim 3, wherein routers maintain reverse shortest path mapping by sending out a heartbeat message to successors when packets arrive through members other than their respective reverse shortest path, wherein the heartbeat message as received by the successor triggers a push join operation to force the successor and all routers in the path to the traffic source to join the mesh.

Appl. No.: 09/802,476  
Amdt. Dated: 11/3/04  
Off. Act. Dated: 08/03/04

5. (original): A method as recited in claim 3, wherein routing is established between routers such that network flooding with data or control packets to establish a routing structure is not required.

6. (original): A method as recited in claim 1, wherein routers for sender-only hosts may join the multicast mesh in simplex mode.

7. (original): A method as recited in claim 1, wherein routers share group membership reports with neighbors and track relationships between neighbors and groups.

8. (original): A method as recited in claim 7, wherein multicast addresses are mapped to one or more cores as part of a group membership report.

9. (original): A method as recited in claim 1, wherein routers are configured to allow the definition of multiple cores for a group within the multicast mesh.

10. (original): A method of allowing a host to join a multicast mesh for multicast communication within an ad hoc broadcast network, comprising:  
determining the address of a first multicast group to which said host desires to join;  
interacting with a first designated router, by said host, requesting that it gain membership in said first multicast group;  
announcing membership in the first multicast group if the first designated router joining has multiple neighboring routers which are duplex members of the first multicast group; and

Appl. No.: 09/802,476  
Amdt. Dated: 11/3/04  
Off. Act. Dated: 08/03/04

sending a join request for membership in the first multicast group to neighboring routers if one or fewer of the neighboring routers are duplex members of the first multicast group.

11. (original): A method as recited in claim 10, wherein the routers are configured to generate an acknowledgement to the join request, such that non-core routers can acknowledge group membership.

12. (original): A method of maintaining shortest path routes within a group's mesh populated with routers, comprising:

    caching packet identifiers of forwarded packets;

    forwarding a multicast packet from a neighboring router if the packet identifier is not contained within the cache; and

    transmitting heartbeat messages whenever traffic arrives through a path from the source that is not the reverse shortest path, wherein the heartbeat message is configured to trigger a push join to correct routing.